

JMap Pro 6.5

User Manual



Table of Contents

Welcome to JMap Pro 6.5	1
Graphical User Interface	2
Navigating on the Map	4
Map Management	7
Map Settings	10
Map Layers	15
Element Explorer	19
Thematic Maps	21
Layer Metadata	27
Layer Settings	27
General	28
Style	30
Thematics	36
Labeling	38
Mouseover	40
Advanced	44
Editable Layers	44
Editing Data	44
Personal Layers	48
Tools	54
Labeling Tools	54
Selection Tools	54
Information Tools	57
Snap Tools	61
Measurement Tools	62
Search Tools	64
Collaboration Tools	68
Map Contexts	68
Sharing Maps	73
Printing Maps	75
Application Settings	81

Keyboard and Mouse Shortcuts	83
Contact Us	86

Welcome to JMap Pro 6.5

JMap Pro is a downloadable mapping software from the JMap family (JMap Pro, JMap Web and JMap Mobile). JMap Pro connects to JMap Server to provide users an interactive map navigation, analysis and data editing tool. JMap Pro can run on the web or over a private network and it can be launched in standalone mode or via a web browser.


With all its rich tools and functionality, JMap Pro is the software of choice for many organizations who wish to share mapping data with their employees because it is a powerful, yet user-friendly solution. JMap Pro supports both vector and raster data. Lastly, JMap extensions can be integrated to JMap Pro in order to expand its functionality.

This is the user manual for JMap Pro 6.5.

Graphical User Interface

JMap Pro 6.0's graphical interface is modular (note that there is also a simplified version of JMap Pro that does not permit the user interface to be reorganized). Each window can be moved to provide a customized interface. To move a window, you must click on the top portion of it, then drag and drop it to the desired area. You may want to hold down the **Ctrl** key when moving a window to avoid automatically dropping it onto the sides of the application. Most windows include a set of display options located in their upper right corner, allowing you to toggle to floating mode, to enable auto-hide, and close the window.

The following illustration shows the main parts of the interface.



The graphical user interface of JMap Pro

- 1 Map displaying a portion of data. It is possible to open several maps at once and organize them according to your needs. Each map is independent from the others. Maps are interactive and allow for easy querying of objects.
- 2 Toolbars and menu bars allow you to access the application's various

functions.

- 3 The layer management window displays a hierarchical structure of the project's layers. You may turn layers on or off as needed.
- 4 Extensions can be added to JMap to provide new functionalities. For example, the Edition extension adds functionality to create and modify data.
- 5 The map overview shows the region displayed on the map in relation to the entire territory. It also allows you to access a region in a single click. The overview can be activated from the **View** menu.
- 6 The element explorer displays a tabular view of a layer's data or of selected data. The table is interactively connected to the map.
- 7 Each map has a status bar indicating the coordinates, the scale, the number of selected elements, etc.

Navigating on the Map

The following tools allow you to navigate on the map.

Navigation Tools



Zoom extent

Adjust map in order to display the whole of a project's data.



Zoom initial bounds

Returns to the view that was displayed upon opening the project



Zoom in

Click on desired area of map to enlarge by a factor of 2. Trace a rectangle to enlarge the chosen area.



Zoom out

Click on desired area of map to decrease size by a factor of 2. Trace a rectangle to decrease size around the chosen area.



Pan

Move map by dragging it with the mouse. Click to center map view around the desired point.



Backward

Return to previous view (the last 64 views are memorized).



Forward

Return to the view that was displayed before clicking on Backward (last 64 views are memorized).



Zoom to selection

When objects are selected, adjusts map in order to display all selected data.



Rotation by points

Define map orientation by tracing a line defined by 2 points. The first point determines the orientation of the bottom portion of the map and the second point (pointed by the arrow) determines the orientation of the top of the map.



Apply default map rotation


Cancels map rotation and returns map to its normal orientation.

Reaching Specific Coordinates on the Map

It is possible to reach specific coordinates on a map.

- Click on the coordinates that appear in the status bar to display data entry window or select **Tools -> Go to coordinate...** or press **CTRL-G**.
- If desired, select the coordinate system (projection) to be used.
- Enter coordinates to be reached.
- Press OK.


The map centers itself around the requested coordinates, which are indicated by an arrow-shaped marker.



Navigating Using the Map Overview

The map overview can be used to navigate on the map. In order to display it, go to **View -> Map overview** or press **CTRL-O**. Once it is activated, the map overview is saved in the user's parameters.

- Click in the map overview to re-center the map around the desired position.
- Drag the red rectangle to change the area displayed on the map.



Overview window showing the displayed region using a red rectangle


Map Management

JMap Pro allows you to open several maps simultaneously; each map is independent from the others. Thus, you can navigate in each map and display or hide layers in one map or another. Maps can be piled one on top of the other or placed side by side to be viewed simultaneously.

Each map has a title, which is displayed on the title bar of the map window.

Opening a New Map


To open a new map, go to **Map -> New map** or press **Ctrl-N**. The new map opens and is placed over the current map. Maps that are piled this way are accessed by clicking on the tabs displaying the titles of each map.



Tabs of 3 piled maps

Organizing Maps


In order to move a map, you must select it by clicking on its title bar or its tab, then drag and drop it to the desired area. Note that maps must be placed close to the sides of the application window. You can also pile maps by moving a map directly over another. In addition, you can select **Map -> Tile maps** horizontally or **Map -> Tile maps vertically** or **Map -> Group maps** to organize maps according to the desired configuration.



Examples of map configurations


Synchronizing Maps

Map synchronization allows you to navigate on several maps simultaneously. Each action performed on a map is automatically replicated on all synchronized maps. In addition, the mouse pointer is also replicated on all synchronized maps. Synchronized maps can be useful to compare information taken at different times on the same territory.

In order to synchronize maps, you must first open at least 2 maps and place them side by side. For each map you wish to synchronize, press  (located in the bottom left corner of each map window). All maps are automatically synchronized with the first one and remain synchronized afterwards. To stop synchronization, press the button again in each map window.

Full Screen View


Full screen view allows you to display a map occupying the entire space of the screen. All components of the graphical interface are removed except for the status bar, which remains available and is located underneath the map. The last active tool on the map remains functional. In addition, all mouse and keyboard navigation shortcuts can be used to navigate on the map in full screen mode.

To toggle between normal and full screen mode, press . You can also press **Escape (ESC)** to exit full screen mode.

Map Settings

Map settings allow you to define map display options, such as rotation, units, use of a north arrow, and so forth. Map settings can be accessed from the map's pop-up menu (right-click on map).

General




General map settings interface

- 1 Scale limits are used to limit the map's display scale. This prevents users from zooming too far in or out.

- **Maximum scale:** Maximum scale limit for zooming in on the map.
 - **Minimum scale:** Minimum scale limit for zooming out on the map
- 2 Application's cartographic projection system.
 - 3 Select units used on the map.
 - **Distance unit:** The distance unit is used to display all distance-related values (measurements, zoom level, etc.).
 - **Display unit:** Unit used to display map coordinates.
 - 4
 - **Map background color:** Select background color for map window. Background color appears wherever there is no visible data.
 - **Default selection color:** Select default selection color. Selected objects will be of this color unless a different selection style is defined for their layer.
 - 5 Enter rotation used to display map, in degrees. Rotation is performed clockwise.

Static elements

Static map elements are objects that are placed on fixed areas of the map. Two types of static elements are available: the north arrow and graphic scale.




Map static element settings interface

- 1 Select the **North Arrow** option to enable the display of the north arrow on the map. Afterwards, select the arrow model you wish to use. If the map is rotated, the north arrow will indicate this rotation.
- 2 Select the arrow's position on the map. You can also offset the arrow from the chosen position by entering values in pixels. In addition, the size of the arrow can be adjusted.
- 3 Enable the graphic scale to be displayed by selecting this option.


Grid

A grid can be added to the map. This grid shows divisions and subdivisions of the coordinates system.



Interface de configuration de la grille

- 1 Activate the grid.
- 2 Select this option to have the grid show the division lines. Specify the X and Y intervals between the lines in the grid. You can also select the colour of the division lines.
- 3 Select this option to have the grid show the subdivision lines. Specify the X and Y intervals between the subdivision lines. You can also select the colour of the subdivision lines.
- 4 You can add labels indicating the grid's coordinates and ticks on the edges of the grid (view image below) .



Example of a map with a grid

Map Layers

In JMap, map data is organized in layers. These layers are displayed transparently on the map and are piled one on top of the other. They are independent from one another and can be turned on or off. Layer order is important as some more opaque layers can hide elements found in lower layers. A layer must be visible in order to be displayed on a map and it must be selectable in order for users to select its elements.


The JMap administrator creates project layers as they appear when the project is opened. You can change the order of the layers as well as other settings; these changes will be lost when closing the application unless saved in a context. Refer to Layer Settings and Map Contexts for more information.

The JMap administrator also determines the frequency of automatic updating of each layer, ie the frequency at which your application will load automatically the data layer from the JMap server.

Layer Management

The layer management window allows you to turn layers on and off, change the order of layers, modify their settings, and so forth. Two displays are available for layer management: the hierarchical display and list display.

The hierarchical display shows the layers logically grouped together in a tree structure. The hierarchy is defined by the JMap administrator. Each group of layers can be turned on or off. Layer order is determined by the system administrator and does not necessarily reflect the order in which layers are displayed on the map. When a group is turned on, all the visible layers it contains are displayed. When a group is turned off, none of the layers it contains and none of the layers in its sub-groups are displayed. Turning a group on or off does not affect the visibility of the layers it contains.



Layer manager window in hierarchy display


- 1 Press this button to switch to the hierarchical display.
- 2 Press this button to switch to the list display (view details below).

- 3 When entering a query in the search field, only the layers whose name contain the contents of your query will be displayed in the layer manager.
- 4 The group of layers is invisible. None of the layers that are part of this group will be displayed (even if some of them are checked as being visible).
- 5 The layer is visible. Click on it to make it invisible.
- 6 The layer is visible, but the map's current scale does not allow it to be displayed. Placing the mouse pointer over the check box allows you to view the scale at which the layer will be visible.
- 7 The layer is invisible. Click on it to make it visible.
- 8 This option allows you to perform the following (in a single click):
 - make all layers selectable,
 - make all layers not selectable,
 - return to project default settings.
- 9 Graphical representation of layer on map.

When the layer is a thematic (as in the above example), clicking on it allows you to obtain its legend.
- 10 Pop-up menu, accessible for each layer.
- 11 Access layer metadata. Refer to the Layer Metadata section.
- 12 Zoom to display the full extent of the layer, allowing you to view the entire territory on which the elements of this layer are found.
- 13 Access the element explorer.
- 14 This option allows you to make the layer selectable or not selectable.
- 15 This option allows you to access the layer's settings.
- 16 This option allows you to toggle the layer window to floating mode and move it on the screen.
- 17 This option allows you to close the layer management window.

The list display presents the map layers in an organized list; all layers are displayed at the same level. The order of the layers in the list reflects the order according to which they are displayed on the map. The layer at the bottom of the list is the first one drawn on the map, and the layer at the top is the last one drawn. This interface allows you to change

layer order by dragging a layer up or down in the list.




Layer management window in list display

- 1 The thematic is enabled.
- 2 The thematic is disabled.
- 3 This option allows you to make the layer selectable or not selectable.
- 4 The layer is visible, but the map's current scale does not allow it to be displayed. Placing the mouse pointer over this check box allows you to view the scale at which the layer will be visible.
- 5 The layer is invisible.


- 6 This option allows you to access the layer's settings.
- 7 This option allows you to display the thematic's legend.
- 8 A single click on this button brings you back to the hierarchical layer manager.
- 9 When entering a query in the search field, only the layers whose names contain the contents of your query will be displayed in the layer manager.

Element Explorer

The element explorer displays the attributes that are bound to the layers' elements. Each table is associated with a specific layer and each line in the table represents a layer element. This interface offers several possibilities for working with attributes.




The element explorer is displayed from the layer management window



Display the information of an element in the explorer, from the pop-up menu on the map

The Elements explorer can be enabled from the layer management window. It can also be opened by right-clicking on a map element and selecting **Show in explorer**. The element explorer will open and select the row of attributes associated with the element. Conversely, double-clicking on a row in the table will zoom in on the associated element in the map; the element will briefly flicker.



- 1 Each tab is associated with a layer. The name of the layer is indicated, along with the number of elements that are loaded. The number of elements that are loaded on a layer can be inferior to the total number of elements contained within the layer. In this case, a special note ("partial") is added to the title of the tab.
- 2 Each layer attribute is represented by a column in the table. The column header indicates the attribute title. You can sort the table according to the values of an attribute by clicking on the header of the corresponding column. You can also sort the table according to several attributes by holding down the **CTRL** key and clicking on several headers. Lastly, you can move a column by selecting its header and dragging it horizontally.
- 3 The check boxes of the first column are used to select elements. All elements that are selected in the table will appear selected on the map. Conversely, all elements selected using selection tools on the map will be selected in the table.
- 4 Press this button to enable edit mode. Edit mode allows you to modify attribute values and to erase elements. This function is only available with editable layers including personal layers.
- 5 Press this button to enable the automatic zoom function. If this function is enabled, the selected rows in the table will cause the map to zoom in on the associated map elements.
- 6 Press this button to enable the automatic highlight function. When this function is enabled, the elements corresponding to the selected rows will blink on the map.
- 7 This button allows you to open the attributes table in a spreadsheet program such as Excel.
- 8 Press this button to unselect all of the layer's elements.
- 9 Press this button to invert the selection on the layer. All selected elements will become unselected and vice-versa.
- 10 Press this button to select all of the layer's elements.

Thematic Maps

Thematic maps allow you to illustrate information pertaining to a particular phenomenon. For example, a thematic map on criminality could illustrate the various sectors of a city in different colors based on the crime rate in each of these. A thematic map could also illustrate the results of an election by representing a breakdown of the votes for each party in a pie chart. JMap allows you to create customized thematic maps using the various layers

that are available and their attributes. Some thematics may be predefined by the JMap administrator but users can create new ones. Several thematics may exist for the same layer and each of these may be enabled or disabled. Each thematic has its own legend that can be displayed from the layer manager.


There are 2 categories of thematics in JMap: classifications and proportional quantities.

Classification Thematics

Classification thematics separate map elements into a number of classes (also called categories); each class has its own display style, which causes certain visual variables to change (fill color, stroke style, etc.). Therefore, all elements belonging to the same class share the same display properties.

The various types of classification thematics are presented below.

Graduated Styles



Graduated styles thematic

Graduated styles thematics use a graduation of one or more visual variables to represent the elements of various categories.

Examples of graduating visual variables include: graduation of the fill color of polygons from white to red; graduation of the size of an individual symbol from 1 to 5; graduation of the width of lines from 1 to 4, and so forth. In all cases, there is a finite number of categories and every element of the layer falls into one of these categories. Only numeric attributes can be used for this type of thematic.

Several methods can be employed to calculate the value ranges for the categories of this type of thematic. Refer to Method for calculating value ranges for categories for more information.

Graduated Symbols





Graduated symbols thematic

Graduated symbols thematics draw circular symbols on the map elements they qualify. The symbol sizes graduate according to a finite number of categories based on a numeric attribute.

Several methods can be employed to calculate the value ranges for the categories of this type of thematic. Refer to Method for calculating value ranges for categories for more information.

Individual Values





Individual value thematic examples

Individual values thematics display all elements of a given attribute possessing the same value with the same graphical properties. This type of thematic does not use ranges of values but rather specific values. There are as many classes as there are different values. The maximum number of different values allowed is 512. If a layer has more unique values, it will not be possible to create this type of thematic on that layer. Numeric and alphanumeric attributes can be used for this type of thematic.


Individual Custom Values

Individual custom values thematics are similar to individual values thematics but they allow you to add values to the ones existing in the data. This is useful when you create a thematic using a data set that does not contain all the known possible values for an attribute at the time when the thematic is created.

Proportional Quantities Thematics

Proportional quantities thematics display map elements by using a continuous variation of a visual variable based on a set of numeric attributes. No class is used, but an infinite number of displays are possible.


Proportional symbols



Proportional symbols thematic

Proportional symbols thematics draw circular symbols on the center of the elements they qualify. The symbol sizes are determined by interpolation between the minimum and maximum values of a given numeric attribute.


Pie Charts



Pie chart thematics

Pie chart thematics draw pie chart diagrams on the center of the elements they qualify. This type of thematic is based on one or many numeric attributes. Each part of the diagram (piece of the pie) is associated with a given numeric attribute. The size of the diagram is proportional to the sum of the values of the element attributes; it is determined by interpolation between the minimum and maximum values of the sums of the attribute values.

Bar Charts



Bar chart thematics

Bar chart thematics display bar chart diagrams (also called histograms), which are superposed on the center of the elements they qualify. This type of thematic is based on one or more numeric attributes. Each part of the diagram (bar) is associated with a given numeric attribute. The size of the diagram is proportional to the sum of the elements' attribute values. It is determined by interpolation between the minimum and maximum values of the sums of the attribute values.

Method for Calculating Value Ranges for Categories

Several different methods can be employed to calculate the value ranges for the categories of this type of thematic:

- Equal ranges: The ranges will be equal in size (e.g. 0-10,10-20, 20-30).
- Equal count: The range limits will be calculated so that an equal count of elements falls in each class.
- Standard deviation: The range limits will be calculated so that the average value falls in the middle of the range, and the range size for each category is equal to the value of the calculated standard deviation.
- Defined intervals: The range size is user-defined and constant for all categories.
- Percent ranges: The size of each range is expressed as a percentage of the full range of values (e.g. 4 categories with 20%, 20%, 35% and 25%). The total must be equal to 100%.
- Custom ranges: All range limits are user-defined.

Layer Metadata


Information on the various layers of a project can be available in JMap Pro. This information could include the source of data, the date the last update was performed, the quality of the data, etc. This information, called layer metadata, is configured by the JMap administrator.

If a layer has metadata, you can preview it by placing the mouse pointer on the name of the layer in the layer manager.



Overview of a layer metadata

To access the complete version of the metadata, you must click on the metadata button in the layer settings menu.




Display of the complete metadata of a layer

Layer Settings

Layer settings allow you to define many options associated with map layers in JMap. The

layer settings management window is accessed from the layer management window. It can also be accessed by double-clicking on the name of a layer.




Accessing layer parameters

All default settings have been set by the JMap administrator but you can modify these according to your preferences. However, layer setting changes are made locally and will be lost at the end of your session unless saved within a map context (see Map Contexts for more information).

General



This section presents the layer's general settings.




Interface for managing general layer settings

- 1
 - **Visible:** Determines whether the layer is visible or invisible. Only visible layers are displayed on the map.
 - **Selectable:** Determines if layer elements are selectable. If this option is not selected, the elements of the layer cannot be selected using the selection tools.
 - **Overview:** Adds layer to application overview. Overview can be enabled by selecting **View->Map** overview or by using the **CTRL-O** keyboard shortcut.
- 2

Visibility thresholds define the scale range within which a layer is displayed on the map. If the displayed map scale does not fall within the minimum and maximum values, the layer will not be displayed. If the options are not selected, thresholds will be ignored. If a layer is gray out in the layer

manager, this indicates that it is not displayed due to visibility thresholds. Depending on what the JMap administrator has decided, it is possible that these options cannot be modified.



Example of a layer not displayed because of the visibility thresholds


- 3 Attributes that are bound to the layer's elements are presented in this table. Attribute titles and types are indicated. Layer attributes are descriptive data associated with layer elements. They are used for mouseover bubbles, labels, thematic maps, etc.

Style



The style determines the graphical representation of elements on the map. This section allows you to modify the style of a layer's elements. There is a specific interface for each type of element (point, line, polygon, text, image, etc.) but several settings are common to all types. You can also define multiple styles for the same layer; each style is then used for a specific range of scales. Lastly, you can modify the style of selected elements on a layer.

The following interface displays existing styles for a layer.




Interface for managing layer styles

- 1 This list displays existing styles for the layer. Each style applies to a specific range of scales.
- 2 Press Add... to create a new style for a given range of scales. Select a row in the table and press **Delete** in order to delete the corresponding style.
- 3 By default, the selection style for a layer is automatically created from the layer style and uses the project's default selection color. You can modify a layer's selection style by checking **Override selection style** and clicking on the **Edit...** button.

General Style Properties

Some style properties are available for most types of elements.

Antialiasing is a method of representing perfect, continuous vectors on imperfect, discontinuous display devices so that they look as perfect as possible. In every style configuration section of JMap, you can enable antialiasing. This will result in better looking maps. However, display performances are reduced when antialiasing is enabled so use it judiciously.



Example of polygon border with antialiasing (left) and without antialiasing (right)

Partial object **transparency** can be used for every type of map element. A map element with a transparency value of 0% will be completely opaque, while one with a value of 100% will be invisible.



Example of polygon with 50% (left) and 10% (right) transparency

The **blinking** function makes layer elements blink on the screen. This property is not normally used for all of a layer's data but rather for a sub-group of elements with a thematic.

Style Properties for a Layer of Points

Style parameters	
Symbol	Select the symbol you wish to use to represent the elements. The symbol can be a vector symbol or an image.

	<p>Vector symbols are provided with JMap and offer special characteristics compared to images. They can be resized without distortion and their fill color and border can be modified. However, they cannot be customized easily.</p> <p>Images are provided by the administrator and thus can be easily customized.</p>
Size	Specify the size of the symbol. A value of 1 corresponds to the original size of the symbol or image.
Orientation	Specify the rotation to apply to the symbol.
Rotate symbol with the map	Select this option to have the symbol rotated when the map is rotated. If this option is not selected, the symbol will maintain its default angle, regardless of the map rotation.
Proportional size	Select this option if you want the size of the symbols displayed to vary in proportion to the map scale. You must enter the reference scale at which the symbols will be displayed in their normal size.
Offset symbol	You can enter values in pixels to offset the symbol vertically (Y) or horizontally (X). If the field indicates 0, 0, the symbol will be centered on the coordinates of the point.
Fill color	Specify the color of the interior of the vector symbol. For vector symbols only.
Transparent fill	Select this option to have the inside of the vector symbol completely transparent. For vector symbols only.
Line color	Specify the color of the lines of the vector symbol. For vector symbols only.
Border thickness	Specify the thickness of the border of the vector symbol. For vector symbols only.

Style Properties for a Layer of Lines

Style parameters	
Line	Specify the color of the line.
Line thickness	Specify the thickness of the line, in pixels.
Stroke	Specify stroke style (dashed, solid, with border, etc.) to use to draw the line. JMap provides many stroke styles.
Border color	If the line has a border, specify its color. Refer to the <i>Stroke</i> parameter above for information on choosing a line with a border.
Border thickness	If the line has a border, specify its width. Refer to the <i>Stroke</i> parameter above for information on choosing a line with a border.
Arrow	Specify the arrow option you wish to use: None: No arrow. Forward: Place an arrow on the line pointing towards the last point of the line. Backward: Place an arrow on the line pointing toward the first point of the line.
Position (%)	If an arrow is used, this parameter determines its relative position. A value of 50% places the arrow in the center of the line.

Style Properties for a Layer of Polygons

Style parameters	
Color	Specify the color of the polygon's interior.
Transparent fill	Select this option to have the inside of the polygon completely transparent.
Pattern	Specify the fill pattern to use. JMap provides many

	patterns.
Pattern color	If a pattern is used, specify its color.
Transparent pattern fill	If a fill pattern is used, select this option to make the pattern background completely transparent.
Border color	Specify the color of the polygon's border.
Border thickness	Specify the thickness of the polygon's border.
Transparency (%)	Specify the transparency to apply to the polygon's border.
Stroke	Specify the stroke style (dashed, solid, with border, etc.) to use to draw the border of the polygon. JMap provides many stroke styles.

Style Properties for Annotation (text) Layers

Style parameters	
Font	Specify the font used to display the text.
Bold	Select this option to use bold text.
Italic	Select this option to use italicized text.
Underlined	Select this option to use underlined text.
Outlined	Select this option to use outlined text. The color of the outline may differ from that of the text, which improves the readability of the map.
Striked through	Select this option to use text that is striked through.
Text color	Specify the color of the text.
Outline color	If outlined text is used, specify the color of the outline.

Style Properties for a Layer of Images

Only partial transparency may be adjusted for image layers.

Selection Style


Each layer possesses a selection style. Selection styles are used to represent elements when they are selected on the map. By default, the selection style is automatically generated using the layer's basic styles and the project's default selection color.

To modify the selection style, select **Override selection style** and press the **Edit** button.

Thematics



This section allows you to create or modify a layer's thematics. Each layer can have 0, 1 or more thematics and each of these can be enabled or disabled. The JMap administrator can define the default thematics that will be available for each layer of a project. As a user, you can also define your own thematics. Refer to Thematic Maps for general information on thematics in JMap.



Thematic management interface

- 1 This table shows the list of existing thematics for this layer. The first column is used to enable or disable thematics. Only enabled thematics are displayed on the map.
- 2 These arrows are used to modify the order of the layer's thematics. If several thematics are enabled at the same time on the layer, it is important to consider their order to avoid having some layers hide others. It is normal that some thematics cannot be displayed simultaneously.
- 3 Press **New...** to create a new thematic. The thematic creation interfaces vary depending on the type of thematic selected.

Press **Edit...** to modify an existing thematic. Note that thematics created by the JMap administrator cannot be modified.


Press **Duplicate** to copy the selected thematic. An identical thematic will be created with a new name.

Press **Delete** to delete the selected thematic(s).

Labeling




The Labeling section allows you to modify the settings of the layer's labels, including their contents (displayed text), their look, and so forth. As a user, you can customize these settings.




Interface for managing a layer's labels

- 1 Enter the text of the layer's label. Use the **ev(attrib)** function to insert the attribute value specified in parenthesis. The attributes list allows you to select attributes and add them to the label text simply by pressing the button with the down arrow. Labels also support javascript programming to perform mathematic operations as well as operations on character strings using attribute values. The text can span several lines.
- 2 Press this button to modify the display style of the label text (font, size, color, etc.).
- 3 Enable automatic labeling in order to automatically display labels for layer elements according to specified parameters.
- 4 The maximum and minimum scales are used to limit automatic labeling to a certain range of scales.
- 5 Select the position of the label in relation with the element it identifies. Some positions are not available for all types of elements.
- 6
 - **Allow overlapping:** Allows labels of the current layer to overlap each other and overlap labels of other layers.
 - **Prevent duplication:** Filters labels to be displayed in order to avoid repeating the same text. If several labels have the same text, only the first one will be displayed. This function is useful for street names.
 - **Parse numeric labels:** If the label contains both text and numeric values, only the numeric values will be displayed. Useful when you want to display only highway numbers using an attribute containing other text (e.g. "Highway 40" becomes "40").
- 7
 - **Symbol under labels:** Select this option to choose a symbol that will be displayed under the label text. Note that the label text must fit inside the selected symbol. This option is mostly used for highway symbols containing highway numbers.
 - **Frame:** Select this option to draw a frame around the label text.
 - Color:** You can select the color of the frame's background.
 - Border color:** You can select the color of the frame's border.
 - **Proportional size:** By default, label text is always displayed with the specified font size, independently of the scale of the map. Use this option to have the label text size adjusted proportionally to the scale of the map. The text will appear in the specified font size when the map is displayed at the specified reference scale. When the scale of the displayed map is changed, the text size will be modified accordingly.

- 8 Rotation options allow you to control the way labels are rotated.
- **Attribute:** Choose the attribute containing the rotation to apply to each layer symbol. Only numeric attributes are available.
 - **Direction:** If an attribute is used for the rotation, indicate the direction of the rotation (clockwise or counterclockwise).
 - **Follow map rotation:** Select this option to have labels follow map rotation. If a map rotation is set, the same rotation will apply to the labels.



Example of curved labels (left) and labels with a frame (right)




Example of labels with a background symbol

Mouseover



This section allows you to define mouseover settings for the layer, such as the content to be displayed, the color of the mouseover bubble, etc.



Mouseover configuration interface

- 1 The Attributes list allows you to select attributes and add them to the mouseover bubble's contents by pressing the button with the downward arrow.
- 2 The Functions list allows you to select content formatting functions (bold, italic, etc.) and to add these to the mouseover bubble's contents by pressing the button with the downward arrow.
- 3 Enter the mouseover bubble's contents. This can include static text, as well as functions displaying attribute values, images, etc. Mouseover bubbles also support javascript programming to perform mathematic operations as well as operations on character strings using attribute values. For more information on defining the content of mouseover bubbles, refer

to Creating Mouseover Content.


- 4 Select the mouseover bubble's background color for this layer.
- 5 The following options modify mouseover behavior.
 - **Mouse over visible:** Enable or disable mouseover for the current layer.
 - **Prevent text duplication:** Avoid having content repeat itself within a bubble.
- 6 Visibility thresholds define the scale range within which mouseover are displayed on the map. If the displayed map scale does not fall within the minimum and maximum values, the mouseover will not be displayed. If the options are not selected, thresholds will be ignored.

Creating Mouseover Content

You must provide the text that will be used as mouseover content. This text can include static parts (displayed as is), variable parts (functions replaced by other values when the map is displayed), simple javascript programs as well as HTML tags. For example, the *elementValue(city)* function, or *ev(city)* in its abbreviated form, will be replaced by the value of the *city* attribute of the pointed element, when displayed.

The mouseover text can span multiple lines. Simply write the text over more than one line and the mouseover bubble will use the same formatting.

Mouseover bubbles support HTML syntax, which can be useful to format the text or to include hyperlinks and images. Consider the following examples:

Mouseover content (copié-collé du manuel Admin anglais)	Display
<p>City : ev(CITY)</p> <p>A simple example of static text with the value of an attribute.</p>	

City: `ev(CITY)`
`(ev(COUNTRY))`

Example containing static parts and displaying 2 attribute values on 2 lines.



`ev(STATION_NAME)`
`Site web`

An example of basic formatting using HTML tags and a hyperlink where the URL comes from the value of the URL attribute.




`ev(DESCRIPTION)`
``

An example of an HTML tag that takes the image URL from the value of the IMAGE_URL attribute



Area:
`ev(AREA_KM2) km2`
`<script>`
`var SQ_KM_IN_SQ_MI = 2.58998811;`
`var area_sq_mi = ev(AREA_KM2) /`
`SQ_KM_IN_SQ_MI;`
`println(area_sq_mi.toFixed(1) + " sq. mi");`
`</script>`

An example of a `<script>` tag with javascript code. The value of the AREA_KM2 attribute is converted from square kilometers to square miles.



Advanced



This section allows you to access advanced layer management settings. These settings are normally managed by system administrators.

Editable Layers


Some layers allow for data editing, which includes adding, moving, modifying and deleting geometries as well as entering or modifying their attribute values and other data, using forms. This is the case if the JMap administrator has given you permission to modify the contents of one or more layers in a JMap project. Another case is when you use personal layers, which have been created by you or other users who have granted you editing privileges. In both cases, editing tools must be activated in the application.

Editing Data

Two tools allow you to create, modify or delete elements on an editable layer. The JMap's **Edition** extension allows you to create new elements directly in cartographic interface, modify or delete them. The **Element Explorer** allows you modify attribut values of existing elements or delete existing elements.

Editing Elements in Edition Extension

The JMap administrator included this extension in the JMap Pro application. If this extension is not available, contact your JMap administrator. The the user manual provides more details about his fonctions. If the edition tools are not visible, you can display them by selecting **Edition** in the **View** menu.



Edition extension graphical user interface

- 1 Select the type of geometry you wish to create. Your selection must not be


incompatible with the type of your personal layer (ex. you cannot create polygons on a layer of points).

- 2 Select the layer on which you wish to create elements. If several editable layers have been added to the project (including personal layers), they will all appear in this list.

Note: The layer named **Annotations** is not a personal layer. It is a generic layer on which you can draw freely but it does not allow you to define attributes.


- 3 When you bring changes (add, modify, delete) to a personal layer, JMap stores the transactions that should be saved.

Press  to save the layer transactions on the JMap server.

Press  to reject the transactions and cancel all changes on the layer.


- 4 All editing operations can be canceled individually if they have not been saved. You can also restore canceled actions by clicking on the **Redo** arrow.

When the geometry is created, the attribute entry form displays. Here you can enter attribute values. Some attributes are required. The form can only be closed once all required attributes have been entered.




Example of a form for entering attribute values


The attribute entry form can also be opened by right-clicking on a map element.




Pop-up menu displaying the attribute entry form


Editing Elements in the Element Explorer


Element attribute values can be entered or modified directly in the element explorer of an editable layer. Edit mode must be enabled by pressing .



- 1 Press  to enable edit mode. In this mode, all modifiable attribute values can be entered or changed. Afterward, click on a field to change its value. Date fields display a calendar to facilitate data entry. Values that are entered are validated in order to ensure their compatibility with the attribute type.

For more information on how to use the element explorer, refer to Element Explorer.
- 2 Click on a field to enter or modify the attribute value.
- 3 Some of the attributes that are displayed cannot be edited (*Author, Creation Time, Modification Time, ID JMap*). These are system attributes and their values are automatically set by JMap.

Elements can also be deleted directly in the element explorer of an editable layer. Edit mode must be enabled by pressing .



- 1 Select the element you want to delete. Press **Delete** in your keyboard.
- 2 The element disappear in the Element Explorer.
- 3 The transaction have to be saved in the **Edition** extension.


Personal Layers

Personal layers are editable map data layers created by users. When you create a personal layer, you assign it a name, a type (point, line, polygon), a style, and a list of attributes. You can then begin to add map elements to it by drawing them using JMap's editing tools. You can also enter values for the layer's element attributes. Personal layers can be shared between users; various access levels can be defined for these purposes.


The personal layer management interface shows you a list of the personal layers you can access. These layers may have been created by yourself or by other users who shared them




with you. This window can be accessed through the **Project -> Personal layers...** menu or by pressing **CTRL+L**.

NOTE: Special privileges are required to create personal layers. Contact your JMap administrator for more information.




Personal layer management interface






- 1 Click on  to create a new personal layer.
Click on  to erase the selected personal layer.
Click on  to share the selected personal layer.
- 2 The filter field allows you to filter the list of personal layers; to do so, type a few letters of the names of the layers you wish to retrieve.
- 3 Layers that are checked are added to the project's layers. Personal layers can be added to a project or removed from it at any time.
- 4 This section displays your access privileges in relation to the project's various personal layers. Keep in mind that the **Read** permission, which allows you to display data, is implied for all of the personal layers you have access to.
 - **Owner:** This permission indicates that you are the owner of the layer, which allows you to modify or delete it. In addition, being the owner of a layer allows you to share it with other users. The Owner permission automatically gives you write permission.
 - **Write:** This permission allows you to add, modify, and delete elements on the layer. You can also modify the values of element attributes.

Creating and modifying a personal layer



Interface for creating and modifying layers

- 1 **Name:** Enter the name of the layer. Names do not have to be unique, but we recommend using names that have meaning; spaces can be used in the names.
Type: Indicate which type of elements (point, line or polygon) the layer will contain.
- 2 Press this button to configure the style of layer elements.
- 3 You can define a list of attributes for the layer. The values of these attributes can be entered using a form or the elements explorer.
Press  to add an attribute to the personal layer.
Press  to remove an attribute from the personal layer.
If needed, press  and select a layer to copy the attributes list of an existing layer.
- 4 This table presents the attributes list that has been defined for the personal layer. When adding a new attribute, you can enter its name and the type of data it will contain.


Note: It is impossible to change the name and type of an existing attribute.

Sharing Personal Layers

Personal layers can be shared with other users according to various access levels. The following permissions are available.

Permissions	
Read	Allows the user to add the layer to his or her project and display its data on the map.
Write	A user who possesses this access privilege automatically inherits the read permission. In addition, the user can create, modify, and delete the personal layer's geometric and descriptive data (attributes).
Owner	A user who possesses this permission automatically inherits read and write permissions. In addition, the user can modify the personal layer's settings, delete it or share it with other users.

In order to share a personal layer, click on the *Share* icon in the personal layer management window. The following window displays and shows the list of users, allowing you to define permissions for each one.



Personal layer permission management interface

Tools

Labeling Tools

In JMap, labels are text values attached to map elements. They are used to display the attribute values of a layer's elements. For instance, labels can display street names on a linear road system or names of cities represented on the map by points.

Labels can either be placed manually or generated automatically by JMap when the data is displayed. The labeling tool is only used for manually created labels.



Add labels


Allows you to manually create a label by clicking on a map element. The label is displayed according to the settings that have been configured for the element's layer.



Remove labels

Press this button to delete all labels that have been added manually. .


Note: Labels can be deleted individually by doing the following: enable the labeling tool, press and hold the **ALT** key and click on the label you wish to delete.




Examples of labels

Selection Tools

You can select elements on vector layers only. The selected elements can be used to perform various actions, such as running an information report, spatial analysis, editing, etc. Several selection tools are available. Note that to select layer elements, the layer must be selectable (refer to the section on layer settings).



List of available selection tools



Number of selected elements is indicated



Punctual selection

Select a single element by clicking on it. When several elements are superimposed, only the top one is selected. Enable the tool and click on an element in the map.



Rectangular selection

Select one or more elements by tracing a rectangle. All elements that are completely or partially included in the rectangle are selected. The rectangle's dimensions are displayed. Enable the tool and trace a rectangle on the map.



Circular selection

Select one or more elements by tracing a circle. All elements that are entirely or partially

included in the circle are selected. The circle's radius is displayed. Enable the tool and trace a circle on the map.



Polygonal selection

Select one or more elements by tracing a polygon. All elements that are entirely or partially included in the polygon are selected. The dimensions of the polygon are displayed. Enable the tool and trace a polygon on the map. Double-click or press the spacebar to complete the polygon.



Linear selection

Select one or more elements by tracing a line. All elements on the line's path will be selected. Enable the tool and trace a line on the map; double-click or press the spacebar to complete the line.

Note: this option does not work with map points.



Clear selection

Unselect all selected elements on the map.

Note: Using any selection tool, you can press and hold the **CTRL** key to add or remove elements in an existing selection.

Selection tools are compatible with the snap function (refer to the Snap tools section).

Selection Explorer

The selection explorer displays the attributes that are bound to the selected elements in the layers. Each layer is represented by a tab; the interface allows you to access all selected elements at any time, regardless of the layer they belong to. The selection explorer functions in a similar way to the element explorer except that it only presents the map's selected elements (refer to the Element Explorer section).

COUNTRY	CONTINENT	POP_1994	POP_GRW...	POP_0_14	POP_15_64	POP_65PLUS	POP_AREA	ID JMap
Albania	Europe	1,626,315.0	1.8	1,626,315.0	0.0	0.0	56.51767282...	6
Austria	Europe	7,914,127.0	0.3	1,381,401.0	5,302,438.0	1,199,805.0	94.30998699	13
Belgium	Europe	9,967,378.0	0.1	1,806,216.0	6,673,792.0	1,487,370.0	325.0795544...	20
Bosnia and Herzegovina	Europe	3,707,000.0	0.0	0.0	0.0	0.0	73.02888510...	24
Belarus	Europe	10,222,649.0	0.4	2,350,189.0	6,755,801.0	1,116,659.0	49.31315811...	28
Bulgaria	Europe	8,990,741.0	-0.2	1,837,290.0	5,986,078.0	1,167,373.0	80.90016706...	32
Czech Republic	Europe	10,328,017.0	0.2	0.0	0.0	0.0	131.0835882...	55
Denmark	Europe	5,170,270.0	0.0	877,542.0	3,488,375.0	804,353.0	116.8117285...	56
Estonia	Europe	1,570,432.0	0.0	348,805.0	1,038,161.0	183,466.0	34.65456155...	65
Finland	Europe	5,067,000.0	0.0	664,000.0	3,300,000.0	670,000.0	153,400.0	70

Selection explorer

- 1 Each layer that contains selected elements is represented by a tab, which indicates the name of the layer and the number of selected objects.
- 2 A message indicates the total number of selected objects and the number of layers the selection spans.
- 3 All elements that are listed are selected. If you unselect an element, it disappears from the table.

Information Tools

JMap includes several tools that provide information on map elements.



Information report

This tool opens an information report related to the map elements. Reports display descriptive data pertaining to the pointed elements. They are defined by the JMap administrator. Enable the tool and click on one of the map's elements. If several elements of one or more layers are pointed, several reports will be available in the same window, but only one can be viewed at a time.

The screenshot shows the JMap interface with the 'Countries' tab selected. The table displays the following data:

COUNTRY	United States
CAPITAL	Washington, D.C.
CONTINENT	North America
POP_MALE	125 897 610
POP_FEM	132 010 327
POP_URBAN	0
POP_RURAL	0
LITERACY	97

Information reports on 2 layers

- 1 The top portion of the report displays the names of the layers for which information reports are available at the pointed area.
- 2 The contents of the displayed report can be exported towards an Excel file

or printed.

- 3 Clicking on a given layer allows you to view its list of available reports; the first report is automatically displayed.



Information reports (selection)

This tool allows you to open an information report containing information on all of the selected elements. Select elements and open the report by clicking on the information reports icon.

JMap **Cities**

CITY	COUNTRY	CAP	POP2000
Aachen	Germany	0	1 063 000
Amiens	France	0	160 815
Amsterdam	Netherlands	1	1 144 000
Antwerpen	Belgium	0	446 525
Arnhem	Netherlands	0	138 154
Augsburg	Germany	0	256 625
Basel	Switzerland	0	552 600


Information report on selection

- 1 The names of the layers on which selections have been performed are displayed at the top of the report.
- 2 Clicking on a given layer allows you to view its list of available reports; the first report is automatically displayed.




Geometry information

This tool allows you to obtain information on the geometry of the map's elements. The information varies according to the type of geometry (point, line, polygon, etc.) and the number of selected elements. Select one or more elements on the map and click on the button for this tool.



Geometry information on only one map element



Geometry information on multiple map elements

Mouseover

Mouseover bubbles contain information on map elements. They are automatically displayed when the mouse pointer remains on the elements of certain layers. Mouseover bubbles can contain attribute values, links to web pages, images, etc. When several elements are superimposed, mouseover bubbles display the information for all the elements, grouped by layer.



Mouseover bubbles can be used to display HTML content and images.

The color of mouseover bubbles can be configured (refer to Layer Settings). It can be different for each information layer.




The color of the bubble can be modified.

Mouseover bubbles can be pinned to the screen in order to be displayed persistently. To pin a mouseover bubble, click on the icon located in its upper left corner. Once a mouseover bubble has been pinned, you can select and copy its contents to another document (Word, Excel, etc.) using the **Ctrl-C** and **Ctrl-V** keyboard shortcuts.



The bubble can be made persistent.

You can also adjust the delay before the mouseover bubbles appear, according to your preferences (refer to the Application Settings section).

You can also disable all mouseover bubbles on the map by clicking on the  button located in the lower left part of the map.

Snap Tools

Most of the tools for drawing map objects (measurement tools, selection tools, editing tools, etc.) can be used with the snap function, which snaps the mouse pointer to existing elements. This is useful to measure the exact distance between two elements, for example.

By pressing and holding down the **CTRL** key, you can snap the mouse pointer to the closest node on the map. An X indicates the position of the snap.



Snap tool (node)

By pressing and holding down the **SHIFT** key, you can snap the mouse pointer to the closest line on the map. An X indicates the position of the snap.



Snap node (line)

Measurement Tools


Measurement tools allow you to calculate distances and surfaces (area and perimeter). Measurements remain on the map until they are erased, allowing you to make several measurements, to print these with the map and save them in map contexts.



Distance measurement

The distance measurement tool allows you to calculate the distance between two points at a bird's eye view. The tool allows you to measure multiple segments; you then obtain the distance of each individual segment as well as the total distance of all segments. The measured distances are persistent, meaning they remain on the map until the user erases them.

- Enable the tool.
- Click on the desired area of the map once to get started.
- Click on the desired area of the map to complete a segment; repeat if desired.
- Double-click on the map or press the spacebar to complete the measurement and display the total distance




Distance measurement



Surface measurement

The surface measurement tool allows you to measure surfaces and perimeters by tracing a polygon on the map. The measurements are persistent, meaning they remain on the map until the user erases them.

- Enable the tool.
- Click on the desired area of the map once to get started.
- Click on the desired area of the map to complete a segment; repeat if desired.
- Double-click on the map or press the spacebar to close up the polygon, complete the measurement and display the results.



✗ Erase measurements

Measurements remain on the map until they are erased. Press this button to erase all of them.


Note: Measurements can be erased one at a time by following these steps :


- Enable measurement tool (distance or surface).
- Press and hold the **ALT** key.
- Click on the measure you wish to erase.

Measurement tools are compatible with the snap function (refer to Snap tools).

Note: To obtain the geometric properties of a map element (length, area, centroid, etc.), you can use the geometry information tool (refer to the Information Tools section) instead of the measurement tool.

Search Tools

 Search tools allow you to find elements on the map using spatial (spatial query) or descriptive (attribute query) criteria. Attribute queries are defined in advance by the JMap administrator. The search window displays all available queries.




Search window

Attribute Queries

Attribute queries are used to find specific elements on a layer using the layer's attribute values. By entering search parameters in the search form (defined by the system administrator), a query is performed to select the map elements meeting the criteria and

display them in the element explorer. Contact your system administrator for more information on available queries.



Attribute queries

- 1 Enter data in the form's fields. In the above example, you must select the name of the element you wish to find in a list.
- 2 Press the **Options** button to display a list of search options. The following options are available:
 - **Search only in current extent:** The query will only be performed in the visible area on the screen.
 - **Search only in current selection:** The query will only be performed in the elements that have been previously selected.
 - **Add to current selection:** The results of the query will be added to the elements on the map that have already been selected.
 - **Show result list:** Displays the results list in the elements explorer.
 - **Always show selection:** Displays results, even when these do not fall within the visibility thresholds of the layers that are queried (this is useful when results span a very large territory).
 - **Add labels on selected elements:** Displays a label on each element that is found (improves visibility of results).
- 3 Press **Search** to launch the query. Press **Reset** to reset the form.

Results are selected on the map. If the *Show result list* option is selected, the Element Explorer displays the elements returned by the query. It is then possible to launch an


information report pertaining to the selection (refer to Information tools).

Spatial Queries

Spatial queries are used to search for map elements of a layer that meet a spatial criterion. Several types of spatial criteria are available, but each uses a reference selection as a basis for the search. Therefore, before performing the spatial query, it is essential that you select the reference elements.

Some examples of spatial queries:

- Select properties located at less than 500 meters from the selected park.
- Select route segments located within the selected zoning polygon.
- Select all lots adjacent to the selected river.



Spatial queries

- 1 Select the information layer on which the search is performed (what you are looking for). **The spatial query can only be performed on a selection that has been made beforehand.**
- 2 Press the **Options** button to display a list of search options. The following options are available:
 - **Add to current selection:** The results of the query will be added to the elements on the map that have already been selected.
 - **Show result list:** Displays the results list in the elements explorer.

- **Always show selection:** Displays results, even when these do not fall within the visibility thresholds of the layers that are queried (this is useful when results span a very large territory).
- **Add labels on selected elements:** Displays a label on each element that is found (improves visibility of results).

3 Choose the spatial criteria to apply for the query.

4 Press **Search** to launch the query.

Results are selected on the map. If the *Show result list* option is selected, the elements explorer displays the elements returned by the query. It is then possible to launch an information report pertaining to the selection (refer to Information tools).

Collaboration Tools


Map Contexts

Map contexts are comprised of all the settings required to recreate a geographical map. They allow you to save a map and also share it with other users. Existing contexts can be easily retrieved to recreate a map environment. All layer settings, including annotations, thematics, selections, etc. are part of the context and are recreated when it is opened.

Note: A context is associated with the project in which it was created. It cannot be accessed from other projects.

Create a new context

Menu Project -> Contexts... and click on the  button from the context window.



Creating a new context

- 1 Enter a name for the context. If the name already exists, you will be prompted for a confirmation before overwriting the context with the same name. When creating a new context, the settings of the displayed map are


saved according to the selected options.

2 The following options are available:

- **Annotations:** Include the list of selected objects, the user's drawings, the labels added to the map, and the distance and surface measurements.
- **Measures:** Include measurements made on the map.
- **Layers settings:** Include layer settings (visibility, order, styles, etc.)
- **User labels:** Include labels displayed on the map.
- **Markers:** Include markers for the points the user has searched for and located by entering coordinates.
- **View settings:** Include settings of the displayed map (scale, area displayed, units, etc.).

If an option is not selected, the settings associated with it are ignored and are not part of the context. When the context is opened, these settings will not be affected. Certain options may not be available if they do not apply.

The new context appears in a list of the user's private contexts.



List of existing contexts

- 1 The following options are available:
 - **Open:** Select the context to open and click on the button to display it.
 - **Save:** Click on this button to create a new context from the displayed map.
 - **Delete:** Select the context to delete and click on the button to delete it.
 - **Make public:** Select the context you wish to make public and click on the button to make it accessible to all users.
 - **Send a copy:** Select the context you wish to send and choose the recipient in the list. The recipient will then see a pop-up in JMap notifying him or her that a context has been added to his or her list of private contexts.
 - **Change projection:** This advanced function allows you to change the projection associated with a context. This can be useful after an administrator has changed the projection of a JMap project.

- 2 Click on the tab associated with the list of contexts to be viewed (public or private).
- 3 When entering a query in this search field, only the contexts whose names include the contents of the query will be displayed. .
- 4 List of contexts showing the author and creation date of each context.
- 5 Allows you to select a context that will be displayed by default when a JMap session is opened. Only one context can be defined with this option.
- 6 Information on the context that is entered when it is created, along with a preview of the context.


Opening a Context

Open the context management window.

Project -> Manage contexts...

The context management window displays the list of existing contexts for the current project. The list is divided into 2 sections: the **private** section displays your list of private contexts (which only you can access) and the **public** section shows the list of public contexts (shared by users and accessible to all users who have access to the project) .

Contexts can be sorted by clicking on the column headers in the list.


To open a context, select the context in the list and press the  button or double-click on the context in the list. After a context is opened, the active view displays the map. The context window stays on the screen to allow you to open another context.

Sending a Context to Other Users

Open the context management window.

Project -> Manage contexts...

JMap allows you to send a copy of a map context to one or more users. The context will appear in each recipient's private section. Recipients are the owners of their copies and can modify or delete them.

In order to send a context, select it in the list and press the send button . A window displays, allowing you to select recipients.

Select one or more users or groups who will receive a copy of the context. When groups are selected, all members receive a copy. Press **Send**.

Making a Context Public

Open the context management window.

Project -> Manage contexts...


A public context appears in the **public** section. A public context is in fact a private context that a user has decided to share with the other persons who have access to the project; all of these users can open the public context. Once it is shared, the context remains in the user's **private** section and a copy of it appears in the **public** section. Only the user who shared the context can modify or delete it.

To make a context public, select it in the list and press the **Make public** button .

Deleting a Context

Open the context management window.

Project -> Manage contexts...

To delete a context, select it in the list and press the Delete button . Only the owner of a public context can delete it.


Note: A context that has been deleted cannot be restored.

Load a Context by Default

Open the context management window.

Project -> Manage contexts...


A context (private or public) can be loaded automatically when opening a project.




Select the context to be loaded automatically when the project is opened. Only one project can be selected. To cancel this function, simply re-click in the check box of the selected context.

Sharing Maps


JMap allows you to create and share map images. You can copy a map to the clipboard and paste it into another application, send a map by email or save an image of the map in a file. These functions are accessed via the map's pop-up menu (right-click on the map).




Copying a Map to the Clipboard


 You can copy a map to the clipboard and paste it to another application (word processor, presentation software, email, etc.). Access the pop-up menu by right-clicking on the map and selecting **Share -> Copy to clipboard**. Afterwards, you can use the **Paste** function in the application that will receive the image.

Saving a Map Image

 You can save a map image in a file. Use the pop-up menu by right-clicking on the map and selecting **Share -> Save as...**. You must then select a target directory and enter a name for the file.

Sending a Map by Email

 JMap allows you to send an image of a map by email. Use the pop-up menu by right-clicking on the map and choosing **Share -> Mail this map**. You can select JMap users to whom you wish to send the map or enter the recipients directly in the designated field (use a semicolon (;) to separate addresses). Groups can be used as lists of recipients. The map will be added to the email as an attachment.



Email window


- 1 Choose the email recipient among all JMap users by clicking on the **To...** button or enter the address of the recipient. Enter a subject for your email.

- 2 Choose the image format to apply to the email attachment. You can also enter text that will accompany the map image.

Printing Maps



JMap's printing tool allows you to print maps with advanced page setup options. The print layouts are predefined page setups you can use for printing purposes. You can create your own layouts, and the JMap administrator can also provide layouts that can be used by all users. The settings made in the print interface are saved automatically when you close your session.




Print window

- 1 Select the layout you wish to use. There is always at least one default layout. Refer to Print layouts for more information on layouts.
- 2 Select the paper format and the printing orientation. JMap can print maps on many different paper formats, from very small to very large.
- 3 Select the print quality and type (color or grayscale). A high quality print requires more time.
- 4 Variables are text that is replaced by values you can define when the map is


printed. The table shows all variables that are available in the selected layout. To modify a value, double-click on it and enter the new value.

- 5 You can preview the print results.
- 6 Click on **Layouts...** to open the layout management window. Refer to the Print layouts section for more information on layouts.

Print layouts

 Print layouts are used to define the page setup for printing. You can create your own layouts and use them according to your needs. Layouts also allow you to define a wide variety of display options. When defining the page setup of a layout, each element of the layout can be moved and resized using the mouse. Each element has its own settings window that can be accessed by double-clicking on the element.

To open the templates window, click on the  button (located below the printing button) in the toolbar or click on the **Layouts...** button in the Print window.




Print layout window

- 1 The list of existing layouts. The default layout is indicated in the right column.
- 2 A preview of the selected layout.

- 3 Click on these buttons to create a new layout or to modify, delete or duplicate the selected layout.
- 4 Select **Default layout** to make the selected layout the one that will be used by default.

Creating a print layout

When you create or modify a print layout, the following window opens, allowing you to define the layout's page setup.




Page setup window of a print layout

- 1 Select the paper format and orientation of the layout.


- 2 Define the margins used in the layout.
- 3 Click on this button to add a text element on the page. The new element appears in the upper left corner of the page. Double-click on the text to modify its parameters (text, alignment, font, etc.).

To insert a variable in the text, use the following syntax: *var(name)* , where *name* is the name of the variable. This function will be replaced by the value of the variable.
- 4 Click on this button to add an additional map on the page.

By default, the map that is active when the print function is executed will be displayed in full size. However, all maps that are open in JMap Pro will also be available for the creation of the layout. When you add a map on the page, double-click on it to access its parameters window and select the map to display. For more information, refer to Map settings window for printing.
- 5 Click on this button to add a table on the page. Each cell of the table can contain text. Double-click on the table to access its parameters window.
- 6 Click on this button to add a legend on the page. The legend can be customized to display only the desired layers. Double-click on the legend to access its parameters window.
- 7 Click on this button to add a north arrow on the page. The arrow can be customized. Double-click on the arrow to access its parameters window.
- 8 Click on this button to add a graphic or textual scale on the page. Double-click on the scale to access its parameters window.
- 9 Click on this button to add an image on the page. You must choose an image by navigating through the file system of your computer. Double-click on the image to access its parameters window.
- 10 Tools to align objects together (top, bottom, left, right, center, etc.).
- 11 Click on this button to reset the page setup.
- 12 You can adjust the zoom in the layout window to define the size of the page or click on  to adjust the page to the size of the window.

Map settings window for printing

The map settings window offers several options to control the appearance of the map for printing purposes.




Map parameter window for printing

- 1 Select the map to add on the page. All maps that are open in the application will be available in the list.
- 2 Printing can be done according to the scale displayed on the screen or according to the displayed region. If you choose the **Current scale** option, JMap will print the map according to the same scale as displayed on the screen, but the area printed can change, depending on the size of the map and paper. If you choose **Preserve scale**, you can enter a different scale. The **Preserve zoom** option allows you to adapt the map to the paper format used to ensure the printed area is at least as big as the area displayed on the screen.

- 3 You can add a grid on the map. This grid will show divisions and subdivisions of the coordinates system.
- 4 This option allows you to add a border around the map.

Application Settings

Application settings are accessed from the **Tools -> Application settings** menu.



Application settings

Preferences

The available option allows you to define the display delay of mouseover bubbles on the map. Enter the delay time required in the field. This information will be saved in the user's preferences and does not need to be redefined each time the user logs on. The default value is 400 ms.

Connection

This section allows you to configure options for the connection between the JMap application and JMap server.

Pending requests

This section allows you to manage the execution of pending requests, which are requests that are waiting to be sent to the JMap server after work has been done in offline mode.

Keyboard and Mouse Shortcuts

General

- Ctrl+S** Load another project.
- Ctrl+Shift+S** Save a new context.
- Ctrl+Shift+C** Display the context management window.
- Ctrl+L** Display the personal layer management window.
- Ctrl+O** Display the map overview.
- Ctrl+E** Display the elements explorer.
- Ctrl+G** Go to coordinates on the map.
- Ctrl+N** Open a new map.
- Ctrl+Shift+H** Organize open maps horizontally.
- Ctrl+Shift+V** Organize open maps vertically.
- Ctrl+Shift+G** Group all open maps into tabs.
- F1** Open JMap online help.
- M** When moving the cursor over the map, press to display an enlargement of the area surrounding the cursor.

Navigation

- 1 Move towards the bottom-left.
- 2 Move towards the bottom.
- 3 Move towards the bottom-right.
- 4 Move towards the left.
- 6 Move towards the right.
- 7 Move toward the top-left.
- 8 Move towards the top.
- 9 Move toward the top-right.

+	Zoom in.
-	Zoom out.
*	Rotate clockwise.
/	Rotate counterclockwise.
Up arrow	Move towards the top.
Left arrow	Move towards the left.
Right arrow	Move towards the right.
Down arrow	Move towards the bottom.
Pressing the button at the center of the mouse or holding down the mouse wheel	Move the map according to mouse movements.
Mouse wheel	Zoom in or zoom out, depending on which direction the mouse wheel is rotated.

Edition

Ctrl	1 - Snap the cursor to the closest node on the map. 2 - Keep only the results of a spatial operation by eliminating initial elements.
Shift	Snap the cursor to the closest line on the map.
Alt	Trace a line oriented according to an angle that is a multiple of 45 degrees.
Space	Complete drawing action by eliminating the last segment.
Esc	Cancel drawing operation.

Measurements

- Ctrl** Snap the cursor to the closest node on the map.
- Shift** Snap the cursor to the closest line on the map.
- Alt** 1 - Trace a line oriented according to an angle that is a multiple of 45 degrees.
2 - Erase an existing measurement by clicking on it.
- Space** End measurement action by eliminating the last segment.
- Esc** Cancel measurement operation.

Labels

- Alt** Erase a manually created label by clicking on it.

Selection

- Ctrl** 1 - Snap the cursor to the closest node on the map.
2 - Add or delete selected elements.
- Shift** Snap the cursor to the closest line on the map.
- Alt** Trace a line oriented according to an angle that is a multiple of 45 degrees.
- Space** Complete selection operation by eliminating the last segment.
- Esc** Cancel selection operation.

Contact Us

By phone

You can contact us during business hours (8:30 AM - 4:30 PM EST, Monday through Friday) at +1 514.285.1211.

On the web

You can visit our web site for more information about our products or for technical support at k2geospatial.com.

By email

Technical support: support@k2geospatial.com

Sales: go@k2geospatial.com

Our street address is

K2 Geospatial

740 Notre-Dame street West, suite 1260

Montréal , Québec, Canada, H3C 3X6

